## AMENDMENTS TO THE CLAIMS

2

 (Previously Presented) A process for analyzing proteins or viruses in a sample comprising:

dividing a sample having a protein or virus component into a plurality of aliquots;

applying said plurality of aliquots in parallel to a first separation step to yield a plurality of partially resolved eluates; and

subjecting said plurality of partially resolved cluates in parallel to a second separation step to yield a plurality of resolved fractions.

- (Previously Presented) The process of claim 1 further comprising collecting at least one of said plurality of resolved fractions.
- (Original) The process of claim 2 wherein collection of the at least one of said plurality of resolved fractions occurs onto a MALDI target or plate.
- (Original) The process of claim 1 further comprising the step of analyzing at least one of said plurality of resolved fractions.
  - (Original) The process of claim 4 wherein analysis is by mass spectrometry.
- (Original) The process of claim 5 wherein said mass spectrometry is performed on a MALDI mass spectrometer.
- 7. (Previously Presented) The process of claim 3 further comprising the step of analyzing at least one of said plurality of resolved fractions by mass spectrometry wherein said mass spectrometry is performed on an orthogonal MALDI mass spectrometer.

(Original) The process of claim 1 wherein at least one of said first and said 8. second separation steps separate on a basis selected from the group consisting of: charge, molecular weight, and hydrophobicity.

3

- (Original) The process of claim 1 wherein at least one of said first and said 9. second separation steps uses a chromatography resin or chromatography membrane.
- (Original) The process of claim 1 wherein at least one of said first and said 10. second separation steps comprises a separation buffer that varies monotonically between individual aliquots or individual eluates.
- (Original) The process of claim 1 wherein at least one of said first and said 11 second separation steps comprises a separation matrix in linear or two-dimensional array.
- (Original) The process of claim 11 wherein said first and said second separation 12. steps-occur-with-matrices-maintaining-well-addresses-in-each-of-the-two matrices.
- (Original) The process of claim 1 wherein at least one of said first or said second 13. separation steps occurs within a microplate.
- (Previously Presented) The process of claim 1 further comprising: digesting said 14. plurality of partially resolved eluates prior to subjecting said plurality of partially resolved eluates in parallel to said second separation step.
- (Currently Amended) A process for analyzing proteins or viruses in a sample 15. comprising:

dividing a sample having a protein or virus component into a plurality of aliquots;

applying said plurality of aliquots in parallel to a first separation step to yield a plurality of partially resolved eluates;

subjecting\_said\_plurality-of-partially resolved-cluates in parallel to a second separation step to vield a plurality of resolved fractions;

digesting said plurality of partially resolved cluates with a proteolytic enzyme to yield a plurality of digested cluates; and

subjecting said plurality of digested cluates in parallel to a second separation step to yield a plurality of resolved peptide fractions.

- 16. (Previously Presented) The process of claim 15 further comprising: collecting at least one of said plurality of resolved fractions.
- (Original) The process of claim 16 wherein collection of the at least one of said plurality of resolved fractions occurs onto a MALDI target or plate.
- (Previously Presented) The process of claim 15 further comprising analyzing at least one of said plurality of resolved fractions.
  - 19. (Original) The process of claim 18 wherein analysis is by mass spectrometry.
  - 20. (Canceled)
- (Original) The process of claim 19 wherein said mass spectrometry is performed on an orthogonal MALDI mass spectrometer.
- 22. (Original) The process of claim 15 wherein at least one of said first and said second separation steps separate on a basis selected from the group consisting of: charge, molecular weight, and hydrophobicity.

## 23. (Canceled)

- Reply to Office Action of January 10, 2008
- 24 (Original) The process of claim 15 wherein at least one of said first and said second separation steps comprises a separation buffer that varies monotonically between individual aliquots or individual eluates.

5

- (Original) The process of claim 15 wherein at least one of said first and said 25. second separation steps comprises a separation matrix in linear or two-dimensional array.
- (Original) The process of claim 25 wherein said first and said second separation 26. steps occur with matrices maintaining well addresses in each of the two matrices.
- 27. (Original) The process of claim 15 wherein at least one of said first or said second separation steps occurs within a microplate.
- (Canceled) The process of claim 15 further comprising digesting said plurality of 28 partially resolved cluates prior to subjecting said plurality of partially resolved cluates in parallel to said second separation step.

## 29. (Canceled)

- (Previously Presented) The process of claim 18 further comprising analyzing at 30. least one of said plurality of partially resolved eluates prior to digestion in concert with the corresponding resolved fraction.
  - (Original) The process of claim 30 wherein analysis is by mass spectrometry. 31.
- (Previously Presented) The process of claim 1 wherein the step of applying said 32. plurality of aliquots in parallel to said first separation step is performed by a robot.

6 Docket No.: NEN-22502/16

Application No. 10/568,215 Reply to Office Action of January 10, 2008

33. (Previously Presented) The process of claim 1 further comprising affixing a machine-readable label to at least one collection selected from the group consisting of: said plurality of aliquots, said plurality of partially resolved eluates, and said plurality of resolved fractions.

34. (Previously Presented) The process of claim 1 further comprising the steps of: labeling a subsample with a unique tag; and

combining said subsample with a second uniquely labeled subsample or an unlabeled subsample prior to said plurality of aliquots.

35-42 (Canceled)